

# WHAT ARE THE TEETH EXTRACTION RISKS?

Tooth extraction looks easy and can give your teeth the best appearance ever that you have. It also builds your confidence. Tooth extraction is performed by a dentist or oral surgeon and is a relatively quick outpatient procedure with either local, general, or intravenous anaesthesia or a combination. Removing visible teeth is a simple process of [dental extractions near me](#). Teeth that are broken, below the surface, or impacted require a more involved procedure. To know more about the same, continue reading the article.

## Risk of getting the teeth extracted

### Bleeding

There is nothing strange in bleeding after tooth extraction; however, if you have problems with blood clotting or you are a client of medications preventing clotting, your bleeding may be serious. It is recommended that you talk to your **emergency dentist nyc** about this before the procedure is carried out.

The bleeding usually should cease within the range of one to two hours. You should also appreciate the fact that the tooth is missing; therefore, gently biting a piece of gauze aids in clot formation for the bleeding socket. Do not take aspirin if you are sore or in any type of pain because, again, it will thin the blood.



### Dry Socket

Unfortunately, there are minor but inevitable complications, such as dry sockets. This happens when a blood clot that develops in the mouth after a tooth has been removed is stirred up. Sometimes, the clot does not even develop at all, while at other times, the patient himself or herself removes it without the knowledge of the same. As is with all things that have a suctioning action, such as smoking, the use of a straw can help remove the clot. Other causes include overbrushing or over-rinsing the mouth after surgery, which leads to dry sockets, which **emergency tooth extraction near me** explains to you wonderfully.

### Infection

Infection always comes with tooth **dental extraction Manhattan**, given the fact that the mouth is always full of bacteria. Simple extractions are less likely to cause infection as long as you do not have a current

infection in the tooth being pulled or you fail to brush your teeth after the extraction. As soon as you begin feeling discomfort or see that your pus is there, it is high time to go back to your [dentist open near me](#), to find out if you have an infection.

Broadly speaking, infection is painful, but if it is not, then look for other symptoms. One should expect to see pus coming from the tooth's socket. This pus will also contribute to the development of breath halitosis and an ugly taste in your mouth.



## Fracture

There is always the problem of the tooth fracturing during extraction; however, this is not a problem as the extraction is the goal. However, if some of the tooth remains are left behind, it may result in an infection or a cyst in the future. The dentist may injure close healthy teeth with the instruments that are used in the procedure.

## In Conclusion

This article has stated what the major risks are and how you need to take care of them after the treatment. It is necessary to have a consultation session and learn about everything openly so that you can ensure that you are having a good recovery.