







ELEVATION K-1
SCALE



ELEVATION K-2
SCALE



SINGLE UNIT FLOOR PLAN
SCALE






ELEVATION K-3
SCALE

COOPERATIVE EXTENSION SERVICE
AGRICULTURE AND HOME ECONOMICS

UNITED STATES DEPARTMENT OF AGRICULTURE
QUADRI- PLEX
APARTMENT COMPLEX

SC 88 7275 SHEET OF 2



FLOOR PLAN

FRONT VIEW

TYPICAL CROSS SECTION AT AA

NOTES:

1. THIS PLAN IS INTENDED TO ILLUSTRATE A CONCEPT FOR A 4 UNIT, 1 BEDROOM APARTMENT COMPLEX. IT COULD BE BUILT SOMEWHAT SHORTER BUT DOLLAR SAVINGS WOULD BE RELATIVELY SMALL. CONSULT LOCAL AND STATE BUILDING CODES REGARDING REQUIREMENTS FOR MULTI FAMILY HOUSING. SPECIAL CONSIDERATIONS ARE AS FOLLOWS:
2. RAFTERS AS SHOWN SHOULD SUPPORT A 20 LB SNOW LOAD.
3. RAFTERS SUPPORTED BY STUD WALLS SHOULD BE LESS EXPENSIVE THAN TRUSSES FOR THIS SPAN.
4. STUD WALLS IN ATTIC COULD SUPPORT FIRE RETARDANT WALL SEPARATION IN ATTIC AS MAY BE REQUIRED BY FIRE CODES.
5. ATTIC SHOULD BE VENTED WITH THE RING AND/OR CABLE LOUVERED OPENINGS @ 1 SQUARE FEET OF OPENING PER 150 SQ FEET OF FLOOR SPACE.
6. INTERIOR WALLS THAT DIVIDE APARTMENTS WILL NEED TO BE OF FIRE RETARDANT CONSTRUCTION (CHECK CODES). 4" CONCRETE BLOCK FLOOR TO ROOF, BLOCK WALLS MAY BE A PREFERRED DESIGN FOR FIRE RESISTANCE AND SOUND INSULATION.
7. PROVISIONS WILL NEED TO BE MADE FOR HEATING AND AIR CONDITIONING. UNDER-THE-WINDOW UNITS ARE SUGGESTED.
8. SLAB ON GRADE IS SHOWN. IF CHAIN SPACE IS USED, USE 7x10", 16" O.C. - 14'-4" SPAN. THESE COULD BE SUPPORTED BY A CONTINUOUS CONCRETE BLOCK WALL ON A POST AND BEAM ARRANGEMENT. ALLOW AT LEAST 18" CLEARANCE IN THE CHAIN SPACE AND INSULATE BETWEEN FLOOR JOISTS. R-28. DOUBLE JOISTS UNDER HEAVY APPLIANCES.
9. FIREPLACES ARE OPTIONAL. ALTHOUGH INTERIOR WALLS WOULD REDUCE SMOOTING PROBLEMS, AN EXTERIOR WALL LOCATION WOULD BE BEST FOR ROOM FUNCTION AND APPEARANCE.

COOPERATIVE EXTENSION SERVICE
AGRICULTURE AND HOME ECONOMICS

UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING
QUADRI-PLEX
APARTMENT COMPLEX
SC 881 7275 SHEET 2 OF 2