

DIFFERENT TYPES OF VARICOSE VEINS, DEPENDING ON THE AREA AND THEIR TREATMENT

Varicose veins appear due to circulation problems that are manifested by swelling or dilation of the veins. Special attention should be paid to any complications that may lead to bleeding or thrombosis.



There are different types of varicose veins, depending on the area in which they are located:

Varicose veins on the legs. These are the most common types of varicose veins and are usually caused by a sedentary lifestyle. In this case the veins are subjected to pressure, and the blood vessels dilate, giving rise to unstable varices;

Pelvis: These are more common during pregnancy, due to a considerable increase in hormones. A professional [Sclerotherapy Near Me](#) can help you reduce them considerably;

Abdominal: These are located in the abdominal area, in the groin area or on the thighs. The only solution is surgery;

Uterus: If you notice pain in this area, go quickly to a [Varicose Veins Sclerotherapy](#) doctor for a consultation, and he or she may prescribe optimal treatment;



Vulva: They also occur during pregnancy in the pelvic area due to increased pressure. Usually they disappear after pregnancy;

Testicles: They appear when the veins that lead to the testicles dilate.

Spider Vein Removal Near Me - Symptoms of varicose veins

Symptoms vary depending on the severity of varicose veins. In fact, in many situations, the affected people do not notice any symptoms. In the most advanced cases, the following may be present:

Possibility to see veins: These are usually seen first in the back of the knees and in the inner thigh area;

Weight and fatigue: Tired and heavy legs are an inevitable symptom of the presence of varicose veins. These symptoms usually occur due to a sedentary lifestyle;

Pains, tingling and cramping: They appear in the most advanced cases of varicose veins;

Swelling of the legs and ankles, as we said, varicose veins appear because of circulation problems, problems that cause swelling of the legs and ankles.

Vein Clinic Near Me

There are several treatments to remove varicose veins, depending on the severity. For example, pharmacological treatments have as their main objective the improvement of the symptoms and the reduction of their visibility. Medicinal plants can also be administered orally or by applying gels and oils. It is recommended to perform circular massages to activate the circulation.

Obviously, in more advanced cases you can resort to surgery. You must know that their removal by surgery does not exclude the risk of occurrence. Sclerotherapy was also well accepted among patients. This consists of injecting a solution into the vein. It is performed without pain and most patients have declared themselves excited about the technique.

Radiofrequency and intravenous laser

Radiofrequency and intravenous laser are alternative methods to conventional surgery for the treatment of varicose veins and superficial venous insufficiency. These methods are used and have proven to be very effective!

Disadvantages of the methods:

It does not apply in all cases (the vein does not have to be superficial or sinuous, but has a diameter of less than 12 mm);

The cost: the intervention is not supported by health insurance.