

# *Why Do People Require Dental Implants?*

**Dental Implants** are the artificial or prosthetic tooth roots that dentists use to support the restoration of missing teeth, helping to prevent jaw bone loss. The implantation treatment is classified as prosthetic (artificial replacement) and cosmetic dentistry. Because people who have lost teeth may feel embarrassed when they smile or speak. Also, biting abnormalities caused by tooth loss can negatively impact eating patterns, leading to secondary health issues such as malnutrition.

**Dental Implants Houston** offers people the strength and stability to eat all foods they enjoy without struggling to chew. So, they also stimulate and maintain jaw bone, which helps support face features and avoid bone loss.



## **Can you describe the types of dental implants?**

Dentists have various choices for determining the best treatment option for individual patients. However, if you have an implant procedure performed by one dentist and then visit another dentist for a repair, your new dentist may not have access to or may not understand the reinforcing elements used by the previous dentist. The category of a dental implants

depends on the type of procedure dentists use to place them. The **Types Of Dental Implants** that dentists may use are

### **Single-stage dental implants.**

In a single-stage procedure, the dentist surgically places a longer implant in the jaw such that it is on the jaw bone, with the gum tissue at the top level. Then they close the gum tissue (stitched), revealing the visible implant healing cap. As a result, after several months of recovery, they'll attach temporary restoration and abutment without any requirement for a minor surgical procedure to expose the head.



### **Subperiosteal Implants**

The dentist placed the subperiosteal dental implants on the jaw bone within the gingival tissue. They revealed the metal implant post to hold the restoration. Dentists primarily use subperiosteal In patients with insufficient bone height to hold dentures in place.

### **Two-stage dental implants**

Dentists stitch together the implant that dentists place n the jaw bone and the gum tissue in a two-stage process. So, many months after healing, they perform minor surgery to implant an abutment and temporary repair.

## Endosteal implants

Dentists place these **Affordable Dental Implants** in the jaw bone. Endosteal is the most common type of two-stage implant. Also, endosteal implants are screw types (threaded), cylinder types (smooth), or bladed types that dentists use to replace a bridge or removable denture.

## What can we do for recovery, follow-up, and aftercare?

Dental implant recovery depends on several factors, including the various procedures needed to complete your treatment. However, dentists believe that maintaining good oral hygiene habits after dental implant placement helps in the optimal integration of the implant with the bone structure.

It can attribute the treatment failure to a lack of flossing and brushing. An infection might emerge if dentists do not clean the [Houston Dental Implants](#) and surrounding tissues adequately. Also, Smoking causes a high chance of implant failure, and it is best to avoid it after surgery.

## Conclusion

We hope the above-given article helps you understand some valuable and beneficial factors regarding dental implants. So, the above information highlights the various types of dental implants. For further information regarding dental implants, please check out [thedentisthouston.com](http://thedentisthouston.com).

Article Source : <https://www.wellbeingcares.com/why-do-people-require-dental-implants/>