

CAUSES SEVERE BURNS TO ALL EXPOSED TISSUES (eyes, skin, mucous membranes and lungs).

Prevent contact with the eyes, skin and clothing. **NEVER ADD WATER.** Adding water to beads will cause boiling and spattering. When diluting always add slowly to water while stirring.

FIRST AID:

Eye Contact: Immediately flush eyes with water for at least 30 minutes then get immediate medical attention.

Skin Contact: Immediately flush skin with lots of water for at least 15 minutes. Get medical attention.

Inhalation: Move to fresh air. Get immediate medical attention.

Ingestion: Drink large quantity of water. **DO NOT INDUCE VOMITING.** Seek medical attention.



DANGER! CAUSES SEVERE BURNS
MAY BE HARMFUL OR FATAL IF SWALLOWED | NW: 2 LBS

WEAR GLOVES & GOGGLES WHEN HANDLING
KEEP OUT OF REACH OF CHILDREN
Read side panel for additional cautions

Uses:

Chemical processing, soaps and detergents, water treatment, pulp and paper, petroleum industries.

Sodium Hydroxide:

Weight: 90.0-100.5%
CAS: #1310-73-2

Distributed by:

FactoryDirectChemicals.com
Tel: 888-565-7069

24 Hr Emergency:

1-800-424-9300

POISON! CORROSIVE.
CAUSES SEVERE BURNS.
HARMFUL OR FATAL
IF SWALLOWED.



X000TV776V

99% Pure Sodium Hydroxide / PURE LYE (2lbs)
New

REF: P907128

NDC 43128-002-01

Isopropyl Rubbing

Alcohol 70% USP

Tamper evident cap for your protection.

If ring-band is detached from cap or missing do not use.

Alcohol Isopropílico 70% USP

Manipulación evidente casquillo para su protección.

No utilice banda anillo o si está separado de la tapa.



WARNING: Flammable | ADVERTENCIA: Inflamable

1 GAL (3785 mL)



+M220P9071288+

Made in USA for:
Fabricado en Estados Unidos para:
NDC, Inc., 407 New Sanford Rd,
La Vergne, TN 37086
www.ProAdvantagebyNDC.com

Pro
ADVANTAGE
by **NDC**

Drug Facts

Active Ingredient

Isopropyl Alcohol 70% v/v

Purpose

First Aid Antiseptic

Uses

First aid to help prevent the risk of infection in:
• minor cuts • scrapes • burns

Warnings For external use only

Flammable • keep away from fire or flame, heat, spark, electrical
Flash point 72°F • do not use with electrocautery procedures.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if • the condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean infected area • apply 1 to 3 times daily

Other Information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive Ingredient Purified Water

Copper (II) Sulphate 5-Water

Product Code: 0001107 Index No: 029-004-00-0 CAS No: 7746-14-8

Contents: 500g

Formula: $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$



Warning:

Harmful if swallowed. Causes serious eye irritation. Causes skin irritation. Very toxic to aquatic life with long lasting effects.



Avoid release to the environment. If released to the environment, avoid contact with water for several miles. Wear eye protection. Rinse thoroughly with water. Remove contact lenses, if present and easy to do. Rinse. Dispose of contents/container to an approved disposal company.


Breckland Scientific Supplies Ltd
Antom Court, Tollgate Drive, Stafford, ST16 3AF

www.brecklandscientific.co.uk
Tel: 01785 227 227



alamy stock photo

DBC8FR
www.alamy.com



Danger!



Sigma-Aldrich
3050 Spruce Street
Saint Louis, MO 63103 USA
Telephone: 1-800-325-5832

METHANOL

Highly Flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to organs.

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF exposed: Call a POISON CENTER or doctor/physician.

See Material Safety Data Sheet for further details regarding safe use of this product.

WARNING!

MAY BE HARMFUL IF SWALLOWED. MAY IRRITATE EYES AND SKIN. TOXIC TO LUNGS AND MUCOUS MEMBRANES.

Avoid contact with eyes, skin, and clothing. Avoid breathing vapors. Avoid prolonged or repeated exposure. Use with adequate ventilation. Wash thoroughly after handling. Replace cap after each use.

BIOPHARM

Quality Laboratory Solutions and Chemicals



BioPharm Inc.
187 S. Tilley Rd.
Hatfield, AR 71945
800-443-8465
www.bphchem.com

Product No. **BS4442** Lot No. **sample**

SILVER NITRATE

0.100 Normal

1 Quart Restandardize after **sample**

FIRST AID

INGESTION:

If conscious, give table salt dissolved in water. Do NOT induce vomiting. Seek immediate medical attention.

INHALATION:

Remove to fresh air. Seek immediate medical attention.

SKIN CONTACT:

Immediately wash with soap and water for 15 minutes.

EYE CONTACT:

Immediately flush with running water, including under eyelids, for at least 15 minutes. Seek immediate medical treatment.

For transportation emergency, call CHEMTREC at (800) 424-9300

**FOR LABORATORY USE ONLY.
KEEP OUT OF REACH OF CHILDREN.
READ AND UNDERSTAND THE LABEL AND SDS
PRIOR TO USE.**

Health	2
Flammability	0
Reactivity	0



Iss. 12 Nov 2004

GENERAL

GENERAL

GENERAL

Sodium hypochlorite solution

Batch : DCM 123

Quantity : 1 Litre

DANGER

Causes severe skin burns and eye damage.
Very toxic to aquatic life.

Avoid release to the environment.
Wear protective gloves/ protective clothing/ eye protection/
face protection.

IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue
rinsing.

Immediately call a POISON CENTER or doctor/ physician.

Contact with acids liberates toxic gas.



Un Number : 1791
Packing Group : III Class : 8
Proper Shipping Name : HYPOCHLORITE SOLUTION

DCM COMPLIANCE LTD - UNIT 2B ANNCOTTY BUSINESS PARK - ANNACOTTY,
CO LIMERICK, IRELAND
EMERGENCY TELEPHONE NUMBER +353 61 405455



Reagent 試薬

191-11631

Lot.

for Dioxins Analysis
ダイオキシン類分析用

Wako

■ Wear protective gloves, protective goggles or face shield, etc. Use respirator if necessary. ■ In case of contact, consult a physician. ■ In case of contact with eyes, skin and clothes etc., wash with plenty of water. ■ Avoid release to the environment. ■ Do not inhale dust/fume/gas/mist/vapor/spray. ■ Causes severe skin burns and eye damage ■ Causes serious eye damage ■ Toxic if inhaled ■ Causes damage to organs ■ Causes damage to organs through prolonged or repeated exposure ■ Harmful to aquatic life

成分：硫酸

■ 保護手袋および保護眼鏡・保護面等、必要に応じて呼吸用保護具を着用して下さい。■ 暴露または暴露の懸念のある場合、医師の診断/手当てを受けること。■ 眼、皮膚、衣類等についた場合、多量の水で洗い流して下さい。■ 環境への放出を避けること。■ 粉じん/ヒューム/ガス/ミスト/蒸気/スプレーを吸入しないで下さい。■ 重篤な皮膚の薬傷・眼の損傷 ■ 重篤な眼の損傷 ■ 吸入すると有毒 ■ 臓器の障害 ■ 長期又は反復暴露による臓器の障害 ■ 水生生物に有害 ■ 吸湿しやすいので、使用後は直ちに栓又は封をして下さい。



44% Sulfuric Acid-impregnated Silica Gel

44%硫酸シリカゲル

100g

DANGER 危険

医薬用外劇物

硫酸含量：44%

FUJIFILM

FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-Ku, Osaka 540-8605, Japan

富士フイルム 和光純薬株式会社

大阪市中央区道修町三丁目1番2号 Tel: 06-6203-3741

See SDS

For Laboratory Use Only

試験研究用

KA1



Ammonium Chloride

(Reagent ACS, 99.8+%)

CAS NO. 12125-02-9



NH_4Cl

1 lb

Warning! May be harmful if swallowed. Irritates eyes, respiratory system and skin.

For Lab or R&D use only.

SanCenter 5580 La Jolla Blvd. (Ste 413), La Jolla, CA 92037

